



TRIO 100 BLACK BLUE

Speed. Stability. Versatility.

Hitting the Trifecta. Our new, innovative, high-performance 3-wheel, premium skate With a supportive yet breathable upper, UFS compatibility and optional rocker, this skate delivers stability and speed as your all encompassing skate for fitness, freeride fun and cruising. We are stoked on the TRIO.



R LIFESTYLE

Defying Stereotypes.

The K2 Lifestyle models go against the grain to defy stereotypes and categories. These skates are crafted for their versatility of use, a higher level of performance and designed with style. Whether you're commuting to work or cruising the trails, now you can match your skates with your lifestyle, your day and how you want to skate.









THE ORIGINAL® SOFTBOOT

A Foundation of Success

In 1993, we introduced the world's first SoftBoot® skate – forever changing the way performance skates are designed and built. Our Original SoftBoot® technology leads the market, providing the highest performance and most versatile inline skates. Our original SoftBoot® technology has since become an industry standard and continues to set K2 apart from the competition. After 24 years of building premium skate products, K2 is a brand cemented as an industry leader, with a reputation for defying the status quo - proving that experience matters.





The Boa® System

Dialed to perform at any level.

The Boa® System delivers closure and adjustment solutions purpose-built for convenience and performance. K2 and Boa dial in your perfect fit for efficiency and increased comfort. You can even make instant micro-adjustments for a precision fit that keeps you in control – anytime, anywhere.

SOA° FIT TO GO FURTHER."











RAIDER PRO MARLEE PRO

FEATURES

Speed Lacing Stability Plus Cuff F.B.I. Frame 72mm 80A Wheels* Max Wheel Size 76mm** ABEC 3 Bearings 5 Size Adjustability

SIZING

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S
**Max Wheel 72mm on size S





RAIDER Boa® MARLEE Boa®

FEATURES

The Boa® System
Junior Boa® Cuff
F.B.I. Frame
72mm 80A Wheels*
Max Wheel Size 76mm**
ABEC 3 Bearings
5 Size Adjustability

SIZING

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S

**Max wheel size 72mm on size S





SK8 HERO Boa® ALU CHARM Boa® ALU

FEATURES

The Boa® System
Stability Plus Cuff
Stamped Aluminum Frame
76mm 80A Wheels
Max Wheel Size 76mm
ABEC 5 Bearings
5 Size Adjustability

SIZING

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7







FITNESS

Comfort. Style. Stability.

The Alexis & F.I.T. skates are at the core of getting out and being active. Skip the gym and grab your skates for the next adventure. Equipped with our stability plus cuff, you'll be confidently skating all day. You're guaranteed a good time.

F.I.T. 80 PRO ALEXIS 80 PRO

FEATURES

Speed Lacing Stability Plus Cuff F.B.I. Frame 80mm 80A Wheels Max Wheel Size 80mm ABEC 5 Bearings

SIZING:

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S

US 6-11 EU 36-42.5 UK 3.5-8.5



NEW

F.I.T. 80 Boa® ALEXIS 80 Boa®

FEATURES

The Boa® System
Stability Plus Cuff
F.B.I. Frame
80mm 80A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings

SIZING:

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S US 6-11 EU 36-42.5 UK 3.5-8.5

B THE BOA GUARANTEE



F.I.T. 84 PRO ALEXIS 84 PRO

FEATURES

Speed Lacing Stability Plus Cuff Stamped Aluminum Frame 84mm 80A Wheels Max Wheel Size 84mm ILQ 5 Bearings

SIZING

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S US 4-11 EU 34-42.5 UK 1.5-8.5



NEW

F.I.T. 84 Boa® ALEXIS 84 Boa®

FEATURES

The Boa® System
Stability Plus Cuff
D.C. Aluminum Frame
84mm 80A Wheels,
Max Wheel Size 90mm*
ILO 7 Bearings
Flex Notch

SIZING

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S

US 4-11 EU 34-42.5 UK 1.5-8.5

*Max wheel size 84mm on women's sizes 4-5





X-TRAINING

Training. Performance.

The VO2 X-Training series takes fitness to the next level. With the Vortech Ventilation System, this skate is designed for breathability yet it's supportive and lightweight. The Boa® System coupled with larger wheels provides the ultimate performance, so you end up with the smoothest yet challenging training session or workout.

NEW

VO2 90 PRO M VO2 90 PRO W

FEATURES

Speed Lacing . VO2 Cuff VO2.2 Frame 90mm 83A Wheels Max Wheel Size 90mm ILQ 9 Classic Plus Bearings Vortech Ventilation System Flex Notch

SIZING

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S US 6-11 EU 36-42.5 UK 3.5-8.5



VO2 90 BOA® M VO2 90 BOA® W

FEATURES

The Boa® System
VO2 Cuff
VO2.2 Frame
90mm 83A Wheels
Max Wheel Size 90mm
ILQ 9 Classic Plus Bearings
Vortech Ventilation System
Flex Notch

SIZING:

MEN'S US 5-14 EU 36.5-49 UK 4-13

WOMEN'S US 6-11 EU 36-42.5 UK 3.5-8.5



NEW

VO2 100 X PRO

FEATURES

Speed Lacing
VO2 Cuff
Performance Hi-Lo Frame
100mm / 90mm 83A Wheels
Max Wheel Size 100mm / 90mm
ILQ 9 Classic Plus Bearings
Vortech Ventilation System
Flex Notch

SIZING

US M 5-14 EU 36.5-49 UK 4-13

EXCLUSIVE

Featured on the K2 VO2 100 X Pro, Performance Hi-Lo Technology allows the skater to take advantage of the acceleration and maneuverability of the smaller front wheels while enjoying the top-end speed of the larger rear wheels.



MARATHON

Precision. Speed. Perfection.

It's all about speed on the MOD 110 & 125. The bigger wheels provide stability at high speed and dampen road vibrations, while the custom fit foam and ventilated microfiber upper perfect your performance on the course. Go the distance and crush the competition with the MOD skate series.



NEW

MOD 110

FEATURES

Speed Lacing
MOD 110 Dual Density Cuff
MOD 110 Extruded 6061 Frame
110mm 85A Wheels
Max Wheel 110mm
ILQ 9 PRO Bearings
Custom Fit Foam
Ventilated Microfiber Upper

SIZING

US M 6-13 EU 38-48 UK 5-12

*Brake included. Assembly required.



LIFESTYLE

Built for versatility.

These are not your ordinary inline skates. Much like our Ambassadors, the K2 Lifestyle line-up goes against the grain, defying stereotypes and refusing to be categorized. The TRIO, Broadway, SODO and Uptown are maneuverable, well balanced and versatile while having their own personality and style. Whether it's commuting to work, cruising the trails, or out for another blade night, there is a skate for everyone.



NEW

TRIO 100 BLACK BLUE TRIO 100 GREY RED

FEATURES:

Traditional Lacing
Urban Cuff
Trio Frame
100mm 90A Wheels
Max Wheel Size 100mm
ILQ 7 Bearing
UFS Compatible

SIZING:

US M 5-13 EU 36.5-48 UK 4-12







BROADWAY

FEATURES

Traditional Lacing
Urban Cuff
Rockerable 247mm Nylon Frame
80mm 85A Wheels
Max Wheel Size 80mm
ABEC 5 Bearings
UFS Compatible

SIZING

US M 6-12 EU 38-46 UK 5-11





NEW

UPTOWN

FEATURES*

Traditional Lacing
Aggressive Cuff
Rockerable 243mm Aluminum Frame
80mm 85A Wheels
Max Wheel Size 80mm
ILQ 7 Bearings
UFS Compatible

SIZING

US M 5-14 EU 36.5-49 UK 4-13

*Brake included. Assembly required.





SODO

FEATURES

Traditional Lacing
Macro-Micro Cuff Buckle Closure
Urban Cuff
Rockered R-100 Frame
100mm 90A Wheels
Max Wheel Size 100mm
ILQ 7 Bearings
UFS Compatible

SIZING

US M 6-12 EU 38-46 UK 5 -11





FRONT STREET

FEATURES

US M 7-12

EU 39.5-46 UK 6-11

*258mm frame for US sizes 7-9.5 and 298mm frame for US sizes 10-12



FEATURES

UNNATURAL

Traditional Lacing Aggressive Cuff
Agressive Frame* 60mm 88A Wheels Max Wheel Size 61mm Aggressive Base w/ Teflon® Inserts

and 298mm frame for US sizes 10-12





HELMETS



JR VARSITY

FEATURES

Durable ABS Shell Lightweight EPS Liner Fit pads Ratchet Fit System

COLOR

Matte Black

SIZING

S 48-54 cm M 54-58cm L 58-61cm



JR VARSITY

FEATURES

Durable ABS Shell Lightweight EPS Liner Fit pads Ratchet Fit System

COLOR

Matte Lime

SIZING

S 48-54 cm M 54-58cm L 58-61cm



JR VARSITY

FEATURES

Durable ABS Shell Lightweight EPS Liner Fit pads Ratchet Fit System

COLOR

Matte White Purple

SIZING

S 48-54 cm M 54-58cm L 58-61cm



VARSITY

FEATURES

Durable ABS Shell Lightweight EPS Liner Sealed Fit pads Low Profile Micro Fit System Reflective

COLOR

Matte Black

SIZING

S 48-54 cm M 54-58cm L 58-61cm



FEATURES

Durable ABS Shell Lightweight EPS Liner Sealed Fit pads Low Profile Micro Fit System Reflective

COLOR

Matte White Blue

SIZING

S 48-54 cm M 54-58cm L 58-61cm



FEATURES

Lightweight In-Mold Construction Micro-Adjust Fit System Removable Visor

COLOR Black

SIZING

M 54-58cm L 58-61cm



FEATURES

Lightweight In-Mold Construction Micro-Adjust Fit System Removable Visor

COLOR

White

SIZING

M 54-58cm L 58-61cm

PAD SETS



PERFORMANCE M **PAD SET**

FEATURES

Durable plastic caps to shield against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

S/M/L/XL



PERFORMANCE M WRIST GUARD

Durable plastic caps to shield against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

FEATURES

S/M/L/XL





PERFORMANCE W PAD SET

FEATURES

Durable plastic caps to shield against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

S/M/L/XL



against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

S/M/L/XL



PERFORMANCE W WRIST GUARD

FEATURES

Durable plastic caps to shield



PRIME M PAD SET

FEATURES

Durable plastic caps to shield against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

S/M/L/XL



PRIME M WRIST GUARD

FEATURES

Durable plastic caps to shield against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

S/M/L/XL



FEATURES

impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

S/M/L/XL



PRIME W PAD SET

Durable plastic caps to shield against



PRIME W WRIST GUARD

FEATURES

SIZING

Durable plastic caps to shield against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

S/M/L/XL



Durable plastic caps to shield against

impact and abrasion, Breathable

mesh fabrics, Elastic straps for the

FEATURES

perfect fit

SIZING

XS/S

SK8 HERO PRO JR CHARM PRO JR PAD PAD SET BOYS **SET GIRLS**

FEATURES

Durable plastic caps to shield against impact and abrasion, Breathable mesh fabrics, Elastic straps for the perfect fit

SIZING

XS/S

WHEELS

ACTIVE FORMULA

Our Active formula wheels feature an 80A hardness that is proven to provide a smooth and stable ride ideal for fitness and

recreational skaters alike.



ACTIVE 72MM/80 A 4-PACK or 8 PACK*

* Includes ILQ-5 bearings and ALU spacers.



ACTIVE 76MM/80 A 4-PACK or 8 PACK*

* Includes ILQ-5 bearings and ALU spacers.



PERFORMANCE 80MM/82 A 4-PACK or 8-PACK*

* Includes ILQ-7 bearings and ALU spacers.





PERFORMANCE FORMULA

This 82A formula creates a durable, energetic wheel, with

a lot of rebound, that delivers a smooth roll for high-end

fitness performance.

PERFORMANCE 84MM/82A 4-PACK or 8-PACK*

* Includes ILQ-7 bearings and ALU spacers.

SPEED FORMULA

This 85A formula delivers a durable wheel engineered for achieving the highest of speeds. Speed formula is the choice for x-trainers, racers and speed junkies.



SPEED 90MM/85A 4-PACK or 8-PACK*

* Includes ILQ-9 bearings and ALU spacers.



SPEED 100MM/85A 4-PACK

ELITE FORMULA

The Elite Formula is our premier wheel in our line up that is geared to be light-weight and fast. Despite having a race profile, the urethane mix that is used still provides plenty of grip and allows you to maintain your speed even over the roughest road conditions.



K2 ELITE 125MM/85A SINGLE PACK



K2 ELITE 120MM/85A SINGLE PACK



K2 ELITE 110MM/85A 4-PACK

URBAN FORMULA

Our urban wheel formula is geared towards those skaters looking for a full profile wheel for aggressive or urban commuting. It uses a slightly harder durometer at 90A that makes them more durable without taking away from their ride quality.



URBAN 100MM/90A 4-PACK



FREERIDE GLOW 80MM/90A 4-PACK



STREET 60MM/88A 4-PACK

FRAME KITS





TRIO FRAME KIT

MAX WHEEL SIZE

100 mm

FEATURES

UFS Mounting Rockerable 6061Series Aluminum

Includes 6mm frame spacers, bearing spacers, and axles.



MOD 125 FRAME KIT

MAX WHEEL SIZE

125/120/125mm

FEATURES

7000 Series Aluminum 320mm wheelbase

Includes one-side 8mm aluminum axles and UFO bearings







R100 CNC ALUMINUM FRAME KIT

MAX WHEEL SIZE

100mm

FEATURES

UFS Mounting Rockerable 311mm wheelbase 6061 Series Aluminum

Includes 6mm frame spacers, bearing spacers, and axles. (6mm frame spacers for rocker set ups)

R80 CNC ALUMINUM FRAME KIT

MAX WHEEL SIZE

80mm

FEATURES

UFS Mounting Rockerable 243mm wheelbase 6061 Series Aluminum

Includes 6mm frame spacers, bearing spacers, and axles. (6mm frame spacers for rocker set ups)

UNNATURAL FRAME KIT

MAX WHEEL SIZE

m

FEATURES

UFS Mounting Rockerable Depth enhanced wheel wells WidePlus H-Block Glass fiber reinforced nylon

Includes 6mm and 8mm frame spacers, bearing spacers, and axles (6mm frame spacers for rocker set ups)

NG

Available in 258mm and 298mm lengths.

BEARINGS, BRAKES, LUBE AND A TOOL



ILQ 5
Grease lubricant
Steel retainers
Double-sided metal shield
Pack of 16



ILQ 7
Grease lubricant
Steel retainers
Double-sided metal shield
Pack of 16



ILQ 9 CLASSIC PLUS
TK Gel 6-ball design
Nylon retainers
One-sided metal shield
Pack of 16



ILQ 9 PRO
TK Gel 6-ball design
Nylon retainers
Rubber shield
Pack of 16



BREAK STOPPER BLACK

BREAK STOPPER GRAY (NON-MARKING)



NEW

FEATURES

COLOR

Black/Red

Ventilation panels

Large venting panel

F.I.T. CARRIER M

3 external zippered pockets

Sized to carry skates, helmet, and pads



K-TOOL

This multi-tool helps you adjust your bearings and axles. Its longer length makes it easy to access the frame mount bolts through the wheels.



NEW

ALLIANCE CARRIER W

FEATURES

3 external zippered pockets
Ventilation panels
Sized to carry skates, helmet, and pads
Large venting panel

COLOR

Black/Blue

ANATOMY OF A SKATE

The Basics

- 1 Closure System
- 2 Buckle/Ratchet
- 3 Cuff
- 4 Power strap
- 5 Base
- 6 Brake Mount
- 7 Brake Stopper
- 8 Frame
- 9 Wheels
- 10 Axle 11 Hubs



CLOSURE TECHNOLOGY

Traditional Lacing

Customize your lacing and knot the same way you tie your shoes.

Speed Lacing System

Secure your skates with one pull. The K2 Speed Lacing System makes it easy to get in and out of your skates. Just one pull of the lace, roll, and stow and you're ready to skate – it's that easy.

Boa® Closure System

By designing K2 Skate's upper and cuff around the Boa® Closure System, K2 has created the most comfortable and high performance fit available.

The Boa® Closure System gives skaters the ability to fine-tune their fit while skating. This eliminates pulling over to the side of the trail to tighten your skate laces, allowing you to keep cruising.

The Boa® Closure System also allows for skaters of any age to get in and out of their skates in seconds. How convenient!

CUFF TECHNOLOGY

Jr. Boa® Cuff

K2 and Boa® worked together to create this seamless integration of a youth skate with the Boa® System. This cuff offers the maximum amount of support that kids need and provides the "easy-on, easy-off" properties that make the Boa® System a must have on youth product.

Aggressive Cuff

Aggressive skaters need more support than most skater types. The development process for the K2 Aggressive cuffs involved huge gaps, slides and plenty of topside and boot tricks. This durable cuff is as good as it gets when you are out to destroy.

Stability Plus Cuff

This cuff sets the standard for recreational and fitness skating cuffs. The Stability Plus Cuff is the perfect blend of support where you need it, eliminating overall skate weight and offering versatility for a wide range of skaters.

VO2 Cuff

Designing cuffs for big-wheeled X-Training skates can be a challenge. You need to account for the higher wheel height, which means more support with no extra weight. The VO2 cuff creates the best of both worlds: extra support and lightweight design.

MOD 110 Cuff

By using stiffer material inserts on the side of the cuff we are able to provide more support and stability, while still making the cuff flexible enough to conform to your ankle for a comfortable fit.

MOD 125 Cuff

The MOD 125 cuff uses carbon fiber reinforcements for increased torsional stiffness and lateral support. The use of carbon fiber also provides the perfect strength-to-weight ratio, keeping it light and durable.

FRAME TECHNOLOGY

Aggressive Frame

Aggressive frames are designed to grind and take a beating, which is why K2 uses the fast-sliding, extra thick composite materials. The K2 Aggressive frame features our innovative hex frame spacers; making it easy to customize your wheel configuration from rockered to flat in no time, while also being fully UFS compatible.

F.B.I. Frame

The Frame Base Interlocking (F.B.I.) system creates a composite recreational frame that absorbs more road vibration than any other K2 frame. The F.B.I. is great for new skaters and those skating on rough terrain.

D.C. Aluminum Frame

Die Cast (D.C.) Aluminum frames are known for providing excellent power transfer and stability at any speed. The K2 D.C. Aluminum design delivers both properties in a medium-length, highly-maneuverable, fitness-oriented frame.

VO2.2 Frame

The VO2.2 frame is a light, versatile Aluminum X-Training frame. This maneuverable frame has enough length and stiffness to provide stability at the highest speeds and offers a power transfer formerly found only in training skates.

MOD 125 Frame

The MOD 125 frame is an all new development in the K2 Training segment that's built on a 125-120-125 mm three wheel configuration. By utilizing the rockered wheel set up we are able to ultimately create a lower stance height despite the big wheels. By using the bigger wheels, there is better rolling momentum and more stability over rough roads that might be encountered in a skate marathon. Lastly, we chose 7000 series extruded aluminum for extra strength, without sacrificing weight.

K2 SKATES

YOUTH



RAIDER PRO / MARLEE PRO

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7

*70mm 80A Wheels on size S **Max Wheel 72mm on size S



The Boa® System, Junior Boa® Cuff, F.B.I. Frame, 72mm 80A Wheels*, Max Wheel Size 76mm**, ABEC 3 Bearings, 5 Size Adjustability

US: S 11-2, M 1-5, L 4-8 EU: S 29-34, M 32-37, L 35-40 UK: S 10-1, M 13-4, L 3-7 *70mm 80A Wheels on size S

**Max Wheel 72mm on size S

RAIDER Boa* / MARLEE Boa*

The Boa® System, Stability Plus Cuff, Stamped Aluminum Frame, 76mm 80A Wheels, Max Wheel Size 76mm, ABEC 5 Bearings, 5 Size

US: M 1-5, L 4-8 EU: M 32-37, L 35-40 UK: M 13-4, L 3-7

SK8 HERO BOA® ALU / CHARM BOA® ALU

Adjustability

FITNESS



F.I.T. 80 PRO / ALEXIS 80 PRO

Speed Lacing, Stability Plus Cuff, F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm. ABEC 5 Bearings

MEN'S WOMEN'S US 5-14 US 6-11 EU 36.5-49 EU 36-42.5 UK 4-13 UK 3.5-8.5



F.I.T. 80 Boa* / ALEXIS 80 Boa*

The Boa® System Stability Plus Cuff, F.B.I. Frame, 80mm 80A Wheels, Max Wheel Size 80mm, ABEC 5 Bearings

WOMEN'S MEN'S US 6-11 US 5-14 EU 36-42.5 EU 36.5-49 UK 3.5-8.5



F.I.T. 84 PRO / ALEXIS 84 PRO

Speed LacingStability Plus Cuff, Stamped Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 84mm, ILQ 5 Bearings

MEN'S

WOMEN'S US 5-14 US 4-11 EU 36.5-49 EU 34-42.5 UK 4-13 UK 1.5-8.5

F.I.T. 84 Boa* / ALEXIS 84 Boa*

The Boa® System, Stability Plus Cuff, D.C. Aluminum Frame, 84mm 80A Wheels, Max Wheel Size 90mm*, ILQ 7 Bearings, Flex Notch

MEN'S

WOMEN'S US 5-14 US 4-11 EU 36.5-49 EU 34-42.5 UK 4-13 UK 1.5-8.5

*Max Wheel size 84mm on women's sizes 4-5

X-TRAINING



VO2 90 PRO M / VO2 90 PRO W

FEATURES

Speed Lacing, VO2 Cuff, VO2.2 Frame, 90mm 83A Wheels, Max Wheel Size 90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

WOMEN'S

TRIO 100 BLACK BLUE / TRIO 100 GREY RED BROADWAY

Traditional Lacing, Urban Cuff, Trio Frame, 100mm

90A Wheels, Max Wheel Size 100mm, ILQ 7

Bearing, UFS Compatible

SIZING

US M 5-13

EU 36.5-48

UK 4-12

SIZING

MEN'S US 5-14

US 6-11 EU 36.5-49 EU 36-42.5 UK 4-13 UK 3.5-8.5

MEN'S

UK 4-13

SIZING

US M 6-12

EU 38-46

UK 5-11

US 5-14 EU 36.5-49

EU 36-42.5 UK 3.5-8.5

Traditional Lacing, Urban Cuff, Rockerable 247mm

Nvlon Frame, 80mm 85A Wheels, Max Wheel Size

80mm, ABEC 5 Bearings, UFS Compatible

VO2 90 BOA* M / VO2 90 BOA* W

The Boa® System, VO2 Cuff, VO2.2 Frame, 90mm 83A Wheels, Max Wheel Size 90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

SIZING:

WOMEN'S US 6-11

FEATURES

LIFESTYLE

Speed Lacing, VO2 Cuff, Performance Hi-Lo Frame, 100mm / 90mm 83A Wheels, Max Wheel Size 100mm / 90mm, ILQ 9 Classic Plus Bearings, Flex Notch, Vortech Ventilation System

SIZING US M 5-14

VO2 100 X PRO

EU 36.5-49 UK 4-13

MARATHON

MOD 110

Speed Lacing, MOD Dual Density 110 Cuff, MOD 110 Extruded 6061 Frame, 110mm 85A Wheels, Max Wheel 110mm, ILQ 9 PRO Bearings, Custom Fit Foam, Ventilated Microfiber

SIZING

US M 6-13 EU 38-48 UK 5-12

MOD 125

Boa®, Speed Lacing, MOD 125 Carbon Cuff and Base, MOD 125 Extruded 7000, 125/120mm 85A Wheels, Max Wheel 125/120mm, ILQ 9 PRO Bearings, 3 Wheel Configuration, Custom Fit Foam, Ventilated Microfiber Upper

SIZING

US M 6-13 EU 38-48 UK 5-12

Traditional Lacing, Aggressive Cuff, Rockerable 243 Aluminum Frame, 80mm 85A Wheels, Max Wheel Size 80mm, ILQ 7 Bearings, UFS Compatible

SIZING US M 5-14

UPTOWN

EU 36.5-49 UK 4-13

*Brake included. Assembly required.

Traditional Lacing, Macro-micro Cuff Buckle

Closure, Urban Cuff, Rockered R-100 Frame, 100mm 90A Wheels, Max Wheel Size 100mm, ILQ 7 Bearings, UFS Compatible

US M 6-12 EU 38-46 UK 5 -11

FRONT STREET

Traditional Lacing, Aggressive Cuff, Agressive Frame*, 58mm 88A Wheels, Max Wheel Size 61mm, ABEC 5 Bearings, UFS Compatible, Aggressive Base

US M 7-12 EU 39.5-46 UK 6-11

*258mm frame for US sizes 7-9.5 and 298mm frame for US sizes 10-12

UNNATURAL

AGGRESSIVE

Traditional Lacing, Aggressive Cuff, Agressive Frame**, 60mm 88A Wheels, Max Wheel Size 61mm, ABEC 5 Bearings, UFS Compatible Aggressive Base w/ Teflon® Inserts

SIZING

US M 7-12 EU 39.5-46 UK 6-11

**258mm frame for US sizes 7-9.5 and 298mm frame for US sizes 10-12

SIZE CHART

MEN & UNI SKATES

U. S.	U. K.	EU	cm	
5	4	36,5	23	
6	5	38	24	
6,5	5,5	39	24,5	
7	6	39,5	25	
7,5	6,5	40	25,5	
8	7	40,5	26	
8,5	7,5	41,5	26,5	
9	8	42	27	
9,5	8,5	42,5	27,5	
10	9	43,5	28,5	
10,5	9,5	44	28,5	
11	10	44,5	29	
11,5	10,5	45	29,5	
12	11	46	30	
12,5	11,5	47	30,5	
13	12	48	31	
14	13	49	32	
				-

WOMEN SKATES

U. S.	U. K.	EU	cm
4	1,5	34	21
5	2,5	35	22
6	3,5	36	23
6,5	4	36,5	23,5
7	4,5	37	24
7,5	5	38	24,5
8	5,5	39	25
8,5	6	39,5	25,5
9	6,5	40	26
9,5	7	40,5	26,5
10	7,5	41,5	27
10,5	8	42	27,5
11	8,5	42,5	28
	0,0	72,0	20

JUNIOR SKATES

	U. S.	U. K.	EU
S	11-2	10-1	29-34
M	1-5	13-4	32-37
L	4-8	3-7	35-40

HELMETS ADULTS & JUNIORS

	cm
S	48-54
М	54-58
L	58-61





K2 SPORTS 413 Pine Street 3rd Floor Seattle, WA 98101 USA info@k2sports.com

K2 Sports Europe GmbH Seeshaupter Str. 62 82377 Penzberg Germany info@k2sports.de